

Round straw balers



SBA 330



Extra wide
SBA 330



JUMBO 1208



JUMBO 1209



JUMBO 1211

Features

1. Automatic bale ejection
2. Auto lubrication system
3. Bale counter
4. Heavy duty frame structure & roller
5. Bale density adjuster
6. Pick-up height adjuster
7. Extra heavy duty roller chain



Integrated hydraulic pump & power pack with solenoid valve from Bucher - Germany



Model	SBA 330	SBA 330 Extra wide	JUMBO 1209	JUMBO 1208	JUMBO 1211
Bale length	70 cm	104 cm	93 cm	70 cm	104 cm
Bale diameter	50 cm	50 cm	60 cm	60 cm	60 cm
Bale weight	15 - 20 kg	20 - 24 kg	28 - 32 kg	24 - 28 kg	32 - 36 kg
Binding type	Jute twine	Jute twine	Jute twine	Jute twine	Jute twine
Pickup width	80 cm	120 cm	100 cm	80 cm	120 cm
Tractor power	30 - 60 hp	35 - 60 hp	35 - 60 hp	35 - 60 hp	35 - 60 hp
Dimension	122x146x122 cm	124x180x122 cm	139x169x131 cm	139x146x131 cm	139x180x131 cm
Weight	430 kg	500 kg	565 kg	510 kg	620 kg

Round straw balers

Sugarcane/Cotton stalk baler



Bale Applications

- Paper industry
- Sugarcane industry
- Power plant
- Boiler
- Cattle fodder
- Bio fuels

Sugarcane leaves

Cotton stalk

Groundnut crop

Sorghum stem


Tomato vines

Grape vines

Corn husks

Wheat straws

Model	Bale length	Bale diameter	Bale weight	Pick up width	Machine weight
HT 1208	70 cm	60 cm	24 - 28 kg	80 cm	515 kg
HT 1209	93 cm	60 cm	28 - 32 kg	100 cm	580 kg
HT 1211	104 cm	60 cm	32 - 36 kg	120 cm	630 kg



Round straw balers



SUPER JUMBO 2011

Features

- Bale density adjuster
- RENOLD Heavy duty roller chain
- Trivalent zinc plated sprockets
- Automatic bale ejection

Bale length	Bale diameter	Bale weight	Pick up width	Dimension	Machine weight
104 cm	100 cm	100 - 125 kg	120 cm	255x185x180 cm	950 kg

JUMBO 1211 Offset



Bale length	Bale diameter	Bale weight	Pick up width	Machine weight
104 cm	60 cm	32 - 36 kg	120 cm	620 kg**

